

FIFRA SECTION 2(ee) RECOMMENDATION FOR USE IN CALIFORNIA



**FUNGI-PHITE®**  
EPA REG. NO.: 73771-5

**FOR USE IN CALIFORNIA**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product inconsistent with its labeling. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label. This recommendation must be in the possession of the user at the time of pesticide application.

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

**STONE FRUIT CROPS, such as:**

Apricot, Cherry, Nectarine, Peach, Plum, Plumcot and Prune.

DISEASE**	APPLICATION METHOD	APPLICATION RATE	APPLICATION PROGRAM
† Suppression of: <i>Botryosphaeria</i> spp. (including <i>dothidea</i> ), <i>Pseudomonas</i> spp. (including <i>syringae</i> ), <i>Xanthomonas</i> spp. (including <i>campestris</i> ), and <i>Eutypa lata</i>	Trunk and Scaffold Branches Spray	Mix 1-2 quarts (1-2 L) in 5 gallons (20 L) of water and apply with a wetting agent or adjuvant on and around the affected area.	Use higher rates when lesions are present. Clean the wound site and apply on and around the lesions using enough spray volume to thoroughly wet the lesions. In the absence of lesions, use the lower rate and apply to the trunk from the soil line to 2 feet up the trunk. Apply in Spring, Summer, and Fall.
	Root Dip	Mix a 0.25% v/v solution (1 quart/100 gallons of water or 0.25 L/100 L of water).	Apply as pre-plant dip to the roots for 10 seconds. Plant within 48 hours after dipping. Mix a fresh solution daily.
	Chemigation Overhead:	Apply 2-3 quarts/acre (5-7 L/ha) in a minimum of 1,000 gallons/acre (9,350 L/ha) of water.	Apply with normal irrigation schedule. Follow Disease Programs as stated above. Do not apply more than 4 times per crop cycle.
	Low Volume:	Apply 2-4 quarts/acre (5-9 L/ha) in a minimum of 100 gallons/acre (950 L/ha) of water.	Apply during the active growing season a maximum of 4 times.

\*\* See the label booklet for Fungi-Phite for a full list of crops pertaining to each crop group.

† Fungi-Phite has suppressive properties on diseases caused by certain bacteria or fungi. When applying Fungi-Phite for disease suppression, use it in combination with another registered bactericide or fungicide registered for the same crops listed on the label.

Read the “Conditions of Sale and Limitations of Warranty and Liability” in the label booklet for Fungi-Phite before using.