

Cyto-Red+®

2-0-15

Foliar Nutritional Supplement for Commercial Use Only
Cyto-Red+ is a nutritional spray applied to the foliage of fruit trees and grape vines during fruit maturation, when the fruit begins to change color before harvested.

GUARANTEED ANALYSIS

Total Nitrogen (N)	2%
2.0% Urea Nitrogen (N)	
Soluble Potash (K ₂ O)	15%
Sulfur (S)	1%
1% Combined Sulfur	
Cobalt (Co)	0.01%
0.01% Water Soluble Cobalt (Co)	
Copper (Cu)	0.18%
0.18% Water Soluble Copper (Cu)	
Iron (Fe)	0.2%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.18%
0.18% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	0.007%
0.007% Water Soluble Molybdenum (Mo)	
Zinc (Zn)	0.35%
0.35% Water Soluble Zinc (Zn)	

Derived from: Urea, potassium acetate, cobalt nitrate, copper sulfate, ferrous sulfate, manganese sulfate, ammonium molybdate, and zinc sulfate.

ALSO CONTAINS NONPLANT FOOD INGREDIENTS:

1% Humic Acids derived from Leonardite.

FOOD2331

DANGER

Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child.



PRECAUTIONARY STATEMENTS

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. If exposed or concerned, get medical advice/attention.

To access Verdesian's Warranty Statement please go to vlsi.com/limited-warranty
Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

This product is manufactured by: Verdesian Life Sciences U.S., LLC | 1001 Winstead Drive, Suite 480, Cary, NC 27513

Customer Service: 800-868-6446

© 2022 Verdesian Life Sciences U.S., LLC. All rights reserved.

Contents: 2.5 gal (9.46 L) | Density: 10.68 lbs./gal (1.22 kg/L) at 68 °F (20 °C)
Net Wt.: 26.7 lbs. (12.1 kg)



VERDESIAN THE NUTRIENT USE EFFICIENCY PEOPLE®

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Store locked up. Dispose of contents/container in an approved waste disposal plant.

Molybdenum Warning: The application of fertilizing materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

KEEP OUT OF REACH OF CHILDREN IMPORTANT NOTICE

Read the entire label. Use only in accordance with the label instructions. Use in conjunction with a normal fertilizer program. Over-application of Cyto-Red+ foliar spray may be phytotoxic or cause undesirable effects.

DIRECTIONS FOR USE - RECOMMENDATIONS:

Nectarines, peaches, apples: Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) 14-21 days prior to anticipated harvest. Repeat within 48 hours of first harvest.

Cherries: Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) 14 days prior to anticipated harvest.

Grapes (colored table varieties): Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) at first color break. Repeat within 48 hours of first harvest.

Red Peppers (Cayenne, Paprika, etc.): Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) 14 days prior to anticipated harvest. Repeat within 48 hours of first harvest.

SHAKE WELL BEFORE USING. For ground rig application, mix 1 part Cyto-Red+ nutritional foliar spray with 100 to 200 parts water. To co-apply with agricultural chemicals, add Cyto-Red+ to pre-diluted chemicals. For optimal absorption and compatibility with other products adjust pH of the mixture to 5.5-6.5. Apply as directed above. Because available formulations of agricultural chemicals differ widely, a small test area should be treated prior to large scale mixing and application to ensure that no phytotoxicity or undesirable effects occur. For best results, apply in the evening or early morning.

STORAGE AND DISPOSAL

Store locked up in a cool, dry area out of reach of children and animals, as well as out of direct sunlight during storage for extended amounts of time. Store in original container. Keep container tightly sealed when not in use. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Store at temperatures above 32 °F and below 110 °F. Dispose of unused product and empty containers in accordance with Federal, State and local regulations.

Consult Safety Data Sheet for further information.

A VERDESIAN NUE SOLUTION®

Cyto-Red+®

2011526.00

REV 02/22 AD GHS
FFN 4189