CROP+™ Organic

0-0-0.75

Foliar Nutritional Supplement to Aid Growth and Mitigate Abiotic Stress in Agricultural Crops

GUARANTEED ANALYSIS

GUARANTEEU ANALYSIS	
Soluble Potash (K ₂ 0)	0.75%
Sulfur (S)	5.00%
5% Combined Sulfur (S)	
Boron (B)	0.09%
Cobalt (Co)	0.069
Cobalt (Co)	1.009
1% Water Soluble Copper (Cu)	
Iron (Fe)	1.009
1% Water Soluble Iron (Fe)	
Manganese (Mn)	3.00%
3% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	0.049
7ine (7n)	3 00%

3% Water Soluble Zinc (Zn)
Derived from Ascophyllum nodosum, Boric Acid, Cobalt Sulfate,
Copper Sulfate, Ferrous Sulfate, Manganese Sulfate, Sodium
Molvbdate and Zinc Sulfate.

F002331

DANGER

Causes serious eye damage. May cause cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause an allergic skin reaction.



Precautionary Statements - Prevention Obtain special instructions before use.

bottom special mist uders to solve das.

Do not handle until all safety prescutions have been read and understood.

Wear protective plowes/clothing and eye/face protection.

In case of inadequate ventilation wear respiratory protection.

Contaminated work clothing must not be allowed out of the workplace.

Do not breathe dust/fume/gas/mist/vapors/spray.

Precautionary Statements - Response

IF exposed or concerned: Get medical advise/attention. Specific treatment (see supplemental first aid instructions on this label). IF IN EYES: Risines cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a PIOSION CENTER or doctor. IF ON SKIIF. Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated colothing before reuse. IF IMPALED: If breathing is difficult, remove person to fresh air and keep confirctable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

In case of emergency call: INFOTRAC: 800-535-5053 and INTL INFOTRAC: 352-323-3500
To access Verdesian's Warranty Statement please go to visci.com/limited-warranty
Information regarding the contents and levels of metals in this product is available on the internet at

http://www.aapfoo.org/metals.html This product is manufactured by 'Perdesian Life Sciences U.S., LLC | 1001 Winstead Drive, Suite 480, Cary, NC 27513 | Customer Service: 800-868-6446 © 2025 Verdesian Life Sciences U.S., LLC. All rights reserved.

BORON AND MOLYBDENUM WARNING

Over-application or excessive use of boron can result in boron toxicity. This may cause fair drawn or serious crop injury. The proper use of soil the tenemmentations will minimize the risk of over-application of boron. Application of fertilizers containing molybdenum may result in forage crops that contain levels of molybdenum that are toxic to ruminant minimals. The proper use of soil and/or petiole test recommendations will minimize the risk of over-application of molybdenum.



WARNING

Cancer - www.P65Warnings.ca.gov.

GENERAL RECOMMENDATIONS

CROP+ Organic is intended for foliar application to prevent or correct nutritional deficiencies that usually occur when plants are small and may limit crop growth and yields. This product is readily available and rapidly absorbed by the plant. Contact your Certified Crop Advisor for specific recommendations for your area.

DIRECTIONS FOR USE

This product can be included in a regular spray program on crops. The rate of application will depend on the crop, stage of growth, and severity of declinency, SHAR-VELL EEPFORE USING, BO NOTA PPLY VIDIOLIUTED. Dilute with water to obtain uniform coverage. Dilution depends on spraying equipment. For high volume sprayers dilute 1.200 to 1:1000. For low volume sprayers dilute 1.000 to 1:1000. For low volume sprayers dilute 1.000 to 1:1000. For low volume sprayers dilute 1.000 to 1:1000. For periodiced deminists, for optimal absorption and compatibility with other products adjust pH of the mixture in 5.5 - 6.5. Because available formulations of aprochemicals differ widely, a "jar" compatibility test should be performed. To determine that no undexis able effects occur, a small test areas should be treated prior to large scale application. For best results apply in the evening or early morning.

USE PRECAUTIONS KEEP OUT OF REACH OF CHILDREN

As with all materials, user should exercise presention to avoid potential phytotoxicity including foliar burning. Caution is advised if applying this product in combination with other materials, a jir test for compatibility is recommended before tank mixing with other products. User assumes full responsibility to sense product, equipment and plant composibilities. Personal Protective Equipment. Intended for Agricultural use. Consult Safet Data Sheet for further information. In the event of a spill, clean-up should be done promptly by trained personned while using pre-planned procedures.

STORAGE AND DISPOSAL

Store locked up in a cool, dry area out of reach of children and animals, as well as out of direct sunlight during storage for extended amounts of time. Store in original container. Keep container tightly sealed when not in use. Do not contaminate water, food or feed by

storage, disposal or cleaning of equipment. Storé at temperatures above 32 °F and below 110 °F. Dispose of unused product and empty containers in accordance with Federal, State and local regulations.

See back panel for Additional Directions For Use.





