

Issuing Date 02-Dec-2025

Revision date 02-Dec-2025

Revision Number 1

## 1. Identification

### Product identifier

**Product Name** MicroSync Zinc

### Other means of identification

### Recommended use of the chemical and restrictions on use

**Recommended use** Micronutrient.

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

Verdesian Life Sciences U.S., LLC  
1001 Winstead Drive, Suite 480  
Cary, NC 27513  
United States  
Telephone: 1-800-868-6446

**E-mail** sds@vlsci.com

### Emergency telephone number

**Emergency Telephone** INFOTRAC 1-800-535-5053 (North America)  
INFOTRAC +1-352-323-3500 (International)

## 2. Hazard(s) identification

### Classification

Serious eye damage/eye irritation	Category 1
-----------------------------------	------------

### Hazards not otherwise classified (HNOC)

Not applicable.

### Label elements



Danger

### Hazard statements

Causes serious eye damage.

**Precautionary Statements - Prevention**

Wear eye protection/ face protection.

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**Other information**

Very toxic to aquatic life with long lasting effects.

**3. Composition/information on ingredients****Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%
Gypsum (Ca(SO <sub>4</sub> ).2H <sub>2</sub> O)	13397-24-5	20 - 40
Zinc sulfate monohydrate	7446-19-7	20 - 40
Bentonite	1302-78-9	20 - 40
Zinc oxide (ZnO)	1314-13-2	5 - <10
Quartz from Bentonite Clay	14808-60-7	1 - <3
Citric acid	77-92-9	1 - <3

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. First-aid measures****Description of first aid measures**

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Burning sensation.
<b>Effects of Exposure</b>	No information available.

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
<b>General hygiene considerations</b>	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
---------------------------	--

## 8. Exposure controls/personal protection

### Control Parameters

<b>Exposure Limits</b>	The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other
------------------------	---

recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Gypsum (Ca(SO <sub>4</sub> ).2H <sub>2</sub> O) 13397-24-5	TWA: 10 mg/m <sup>3</sup> inhalable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Bentonite 1302-78-9	TWA: 1 mg/m <sup>3</sup> respirable particulate matter	-	-
Zinc oxide (ZnO) 1314-13-2	TWA: 2 mg/m <sup>3</sup> respirable particulate matter STEL: 10 mg/m <sup>3</sup> respirable particulate matter	TWA: 5 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> fume (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) STEL: 10 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup> dust TWA: 5 mg/m <sup>3</sup> dust and fume STEL: 10 mg/m <sup>3</sup> fume
Quartz from Bentonite Clay 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 50 µg/m <sup>3</sup> (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/( %SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/( %SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust

**Biological occupational exposure limits**

This product, as supplied, contains materials that do not have reportable biological exposure limits or are not subject to the reporting requirements of the local jurisdiction.

**Appropriate engineering controls**

**Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Face protection shield. Tight sealing safety goggles.

**Hand protection**

Wear suitable gloves.

**Skin and body protection**

Wear suitable protective clothing.

**Respiratory protection**

Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

## 9. Physical and chemical properties

**Information on basic physical and chemical properties**

<b>Physical state</b>	Solid
<b>Color</b>	No information available
<b>Odor (includes odor threshold)</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point (or initial boiling point or boiling range)	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapor pressure (includes evaporation rate)	No data available	None known
Evaporation rate	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	

#### Other information

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness.

**Acute toxicity** No information available.

### Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	5,521.50 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	22.00 mg/l

### **Component Information**

Chemical name	CAS No.	Oral LD50	Dermal LD50	Inhalation LC50
Gypsum (Ca(SO <sub>4</sub> ).2H <sub>2</sub> O)	13397-24-5	> 3000 mg/kg ( Rat )	-	> 3.26 mg/L ( Rat ) 4 h
Zinc sulfate monohydrate	7446-19-7	= 1710 mg/kg (Rat)	-	-
Bentonite	1302-78-9	> 5000 mg/kg ( Rat )	-	-
Zinc oxide (ZnO)	1314-13-2	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	> 5700 mg/m <sup>3</sup> ( Rat ) 4 h
Citric acid	77-92-9	= 3 g/kg ( Rat )	> 2,000 mg/kg ( Rat )	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Quartz from Bentonite Clay	14808-60-7	A2	Group 1	Known	X

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Target organ effects** Respiratory system, Eyes, Skin, Lungs.

**Aspiration hazard** No information available.

**Other adverse effects** No information available.

**Interactive effects** No information available.

## **12. Ecological information**

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Gypsum (Ca(SO <sub>4</sub> ).2H <sub>2</sub> O) 13397-24-5	-	LC50: =2980mg/L (96h, Lepomis macrochirus) LC50: >1970mg/L (96h, Pimephales promelas)	-	-
Zinc sulfate monohydrate 7446-19-7	EC50: =0.056mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =0.162mg/L (96h, Oncorhynchus mykiss) LC50: 0.03 - 0.05mg/L (96h, Oncorhynchus mykiss) LC50: 0.34 - 0.93mg/L (96h, Oncorhynchus mykiss) LC50: 0.218 - 0.42mg/L (96h, Pimephales promelas) LC50: =0.06mg/L (96h, Pimephales promelas) LC50: 0.23 - 0.48mg/L (96h, Pimephales promelas) LC50: 0.168 - 0.25mg/L (96h, Pimephales promelas) LC50: =0.15mg/L (96h, Cyprinus carpio) LC50: 16.85 - 27.18mg/L (96h, Cyprinus carpio) LC50: 3 - 4.6mg/L (96h, Lepomis macrochirus) LC50: 3.55 - 6.32mg/L (96h, Lepomis macrochirus) LC50: =0.63mg/L (96h, Poecilia reticulata) LC50: 49.23 - 64.16mg/L (96h, Poecilia reticulata) LC50: 0.48 - 1.72mg/L (96h, Poecilia reticulata)	-	EC50: =0.75mg/L (48h, Daphnia magna) EC50: 0.538 - 0.908mg/L (48h, Daphnia magna)
Bentonite 1302-78-9	-	LC50: =19000mg/L (96h, Oncorhynchus mykiss)	-	-
Zinc oxide (ZnO) 1314-13-2	-	LC50: =1.55mg/L (96h, Danio rerio)	-	-
Citric acid 77-92-9	-	LC50: =1,516mg/L (96h, Lepomis macrochirus)	-	-

**Persistence and degradability** No information available.

#### Bioaccumulation

#### Component Information

Chemical name	Partition coefficient
Citric acid 77-92-9	-1.72

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Disposal methods

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Do not reuse empty containers.
<b>California Hazardous Waste Status</b>	This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. Transport information

#### DOT

<b>UN number or ID number</b>	UN3077
<b>Proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>Reportable quantity (lbs)</b>	Zinc sulfate monohydrate: RQ (lb)= 1000.00
<b>Special Provisions</b>	8, 146, 335, 384, 441, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
<b>Marine pollutant</b>	Zinc sulfate monohydrate
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s.(Zinc sulfate monohydrate), 9, III
<b>Emergency Response Guide Number</b>	171
<b>Notes</b>	<b>Only regulated for DOT when RQ limit is exceeded. RQ will not be exceeded in packages less than 4,000 pounds.</b>

#### IATA

<b>UN number or ID number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>Technical Name</b>	Zinc sulfate monohydrate, Zinc oxide (ZnO)
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc sulfate monohydrate, Zinc oxide (ZnO)), 9, III
<b>Special Provisions</b>	A97, A158, A179, A197, A215
<b>ERG Code</b>	9L
<b>Notes</b>	<b>May be shipped as not regulated in quantities not more than 5 L / 5 kg in accordance with IATA SP A197.</b>

#### IMDG

<b>UN number or ID number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>EmS-No.</b>	F-A, S-F
<b>Special Provisions</b>	274, 335, 966, 967, 969
<b>Marine pollutant</b>	P
<b>Marine pollutant name</b>	Zinc sulfate monohydrate, Zinc oxide (ZnO)
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc sulfate monohydrate, Zinc oxide (ZnO)), 9, III, Marine pollutant
<b>Notes</b>	<b>May be shipped as not regulated in quantities not more than 5 L / 5 kg in accordance with IMDG Special Provision 375.</b>

## 15. Regulatory information

Contact supplier for inventory compliance status

## 16. Other information

<b>NFPA</b>	<b>Health hazards</b> 0	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 0	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> -

### Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

#### Legend

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance

PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AELG(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Issuing Date** 02-Dec-2025

**Revision date** 02-Dec-2025

**Revision Note**

No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**