

Cyto-Red HA

Foliar Nutritional Supplement for Commercial Use Only

2-0-15

F002331

GUARANTEED ANALYSIS

Total Nitrogen (N)	2%
2.0% Urea Nitrogen (N)	
Soluble Potash (K2O)	15%
Sulfur (S)	1%
1% Combined Sulfur (S)	
Cobalt (Co)	0.01%
0.01% Water Soluble Cobalt (Co)	
Copper (Cu)	0.18%
0.18% Water Soluble Copper (Cu)	
Iron (Fe)	0.2%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.18%
0.18% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	0.007%
0.007% Water Soluble Molybdenum (Mo)	
Zinc (Zn)	0.35%
0.35% Water Soluble Zinc (Zn)	

Derived from urea, potassium acetate, cobalt nitrate, copper sulfate, ferrous sulfate, manganese sulfate, ammonium molybdate, and zinc sulfate.



DANGER

Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child.

PRECAUTIONARY STATEMENTS

PREVENTION

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling.

RESPONSE

If exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Store locked up. Dispose of contents/container to an approved waste disposal plant. Very toxic to aquatic life with long lasting effects

In case of emergency call INFOTRAC: 800-535-5053 or INTL INFOTRAC: 352-323-3500

To access Verdesian's Warranty Statement please visit <https://www.vlsci.com/limited-warranty>

Contents and levels of metals information for this product is available on the internet at <https://www.aapco.org/metals.html>



VERDESIAN
THE NUTRIENT USE EFFICIENCY PEOPLE™

This product is guaranteed by Verdesian Life Sciences, U.S., LLC
1001 Winstead Drive, Suite 480, Cary, NC 27513

Customer Service: 800-868-6446

MOLYBDENUM WARNING

The application of fertilizing materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

KEEP OUT OF REACH OF CHILDREN IMPORTANT NOTICE

Read the entire label. Use only in accordance with the label instructions. Use in conjunction with a normal fertilizer program. Over-application of Cyto-Red+ foliar spray may be phytotoxic or cause undesirable effects.

STORAGE AND DISPOSAL

Store locked up in a cool, dry area out of reach of children and animals, as well as out of direct sunlight during storage for extended amounts of time. Store in original container. Keep container tightly sealed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Store at temperatures above 32°F and below 110°F. Dispose of unused product and empty containers in accordance with Federal, State, and local regulations. Consult Safety Data Sheet for further information.

DIRECTIONS FOR USE - RECOMMENDATIONS

Nectarines, peaches, apples: Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) 14-21 days prior to anticipated harvest. Repeat within 48 hours of first harvest.

Cherries: Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) 14 days prior to anticipated harvest.

Grapes (colored table varieties): Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) at first color break. Repeat within 48 hours of first harvest.

Red Peppers (Cayenne, Paprika, etc.): Apply Cyto-Red+ at 1/2 gallon/acre (5 liters/ha) 14 days prior to anticipated harvest. Repeat within 48 hours of first harvest.

SHAKE WELL BEFORE USING. For ground rig application, mix 1 part Cyto-Red+ nutritional foliar spray with 100 to 200 parts water. To co-apply with agricultural chemicals, add Cyto-Red+ to prediluted chemicals. For optimal absorption and compatibility with other products adjust pH of the mixture to 5.5-6.5. Apply as directed above.

Because available formulations of agricultural chemicals differ widely, a small test area should be treated prior to large scale mixing and application to ensure that no phytotoxicity or undesirable effects occur. For best results, apply in the evening or early morning that will provide complete coverage of the plants. Use of non-ionic wetting agent may improve spray coverage of certain hard to wet plants.

Lot No.: XXXXXXXX

Mfg Date: MM/DD/YYYY

Exp Date: MM/DD/YYYY

Inv. ID: 1001818

Contents: 2.5 gal (9.46 L)

Net Wt.: 26.7 lbs. (12.1 kg)

Density: 10.68 lbs./gal (1.22 kg/L) at 68 °F (20 °C)

A VERDESIAN NUE SOLUTION™

Cyto-Red+

12/03/2025