

Issuing Date 31-Jan-2024

Revision date 29-Apr-2025

Revision Number 3

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product identifier

Product Name Phree Up

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Coating for granular fertilizer

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Verdesian Life Sciences U.S., LLC
1001 Winstead Drive, Suite 480
Cary, NC 27513
United States
Telephone: 1-800-868-6446

E-mail sds@vlsci.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-800-535-5053 (North America)
INFOTRAC +1-352-323-3500 (International)

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements



Danger

Hazard statements

Causes skin irritation.
Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
May cause cancer.
May damage fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/clothing and eye/face protection.
Wash face, hands and any exposed skin thoroughly after handling.
In case of inadequate ventilation wear respiratory protection.
Contaminated work clothing must not be allowed out of the workplace.
Do not breathe dust/fume/gas/mist/vapors/spray.

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label).
IF exposed or concerned: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor.
IF ON SKIN: Wash with plenty of water and soap.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Maleic-itaconic copolymer, partial ammonium salt	701908-99-8	20 - 40
Zinc sulfate	7733-02-0	5 - <10
Manganese sulfate	7785-87-7	5 - <10
Ethanolamine	141-43-5	1 - <3
Ferrous sulfate	7720-78-7	1 - <3

Chemical name	CAS No.	Weight-%
Tetrasodium EDTA	64-02-8	0.1 - <1
Proprietary acid	Trade secret	0.1 - <1
Cobalt(II) nitrate	10141-05-6	0.1 - <1

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Eye contact	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. May produce an allergic reaction. Get immediate medical attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.
Effects of Exposure	May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation. May cause sensitization by skin contact.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

precautions for fire-fighters Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Manganese sulfate 7785-87-7	TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	(vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 500 mg/m ³ Mn TWA: 1 mg/m ³ Mn STEL: 3 mg/m ³ Mn
Ethanolamine 141-43-5	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³
Ferrous sulfate 7720-78-7	TWA: 1 mg/m ³ Fe	(vacated) TWA: 1 mg/m ³ Fe	TWA: 1 mg/m ³ Fe
Cobalt(II) nitrate	TWA: 0.02 mg/m ³ Co	-	-

10141-05-6	inhalable particulate matter	
------------	------------------------------	--

Biological occupational exposure limits

Chemical name Cobalt(II) nitrate 10141-05-6	ACGIH 15 µg/L - urine (Cobalt) - end of shift at end of workweek
---	---

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Brown
Color	Brown
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks • Method
pH	2.5 - 3.5	None known
pH (as aqueous solution)		None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	1.36	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known

Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC content	No information available
Liquid Density	No information available
Bulk density	No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause sensitization in susceptible persons. (based on components). May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact. Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional effects as listed under "Inhalation".

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Redness. Burning. May cause blindness. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes.
-----------------	--

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3,983.70 mg/kg

ATEmix (dermal)	10,482.10 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	47.7954 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc sulfate 7733-02-0	= 1,710 mg/kg (Rat)	> 2,000 mg/kg (Rat)	-
Manganese sulfate 7785-87-7	= 782 mg/kg (Rat)	-	> 4.45 mg/L (Rat) 4 h
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	> 1.3 mg/L (Rat) 6 h
Ferrous sulfate 7720-78-7	= 319 mg/kg (Rat)	-	-
Tetrasodium EDTA 64-02-8	= 1,658 mg/kg (Rat)	-	-
Proprietary acid	= 891 mg/kg (Rat)	> 2,000 mg/kg (Rat)	> 900 mg/m ³ (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

Respiratory or skin sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Cobalt(II) nitrate 10141-05-6	A3	Group 2B	Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly carcinogenic to humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity	Very toxic to aquatic life with long lasting effects.
--------------------	---

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Zinc sulfate 7733-02-0	EC50: =0.056mg/L (72h, <i>Pseudokirchneriella subcapitata</i>)	LC50: =0.162mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 0.03 - 0.05mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 0.34 - 0.93mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 0.218 - 0.42mg/L (96h, <i>Pimephales promelas</i>) LC50: =0.06mg/L (96h, <i>Pimephales promelas</i>) LC50: 0.23 - 0.48mg/L (96h, <i>Pimephales promelas</i>) LC50: 0.168 - 0.25mg/L (96h, <i>Pimephales promelas</i>) LC50: =0.15mg/L (96h, <i>Cyprinus carpio</i>) LC50: 16.85 - 27.18mg/L (96h, <i>Cyprinus carpio</i>) LC50: 3 - 4.6mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 3.55 - 6.32mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =0.63mg/L (96h, <i>Poecilia reticulata</i>) LC50: 49.23 - 64.16mg/L (96h, <i>Poecilia reticulata</i>) LC50: 0.48 - 1.72mg/L (96h, <i>Poecilia reticulata</i>)	-	EC50: =0.75mg/L (48h, <i>Daphnia magna</i>) EC50: 0.538 - 0.908mg/L (48h, <i>Daphnia magna</i>)
Ethanolamine 141-43-5	EC50: =15mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =227mg/L (96h, <i>Pimephales promelas</i>) LC50: =3684mg/L (96h, <i>Brachydanio rerio</i>) LC50: 300 - 1000mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 114 - 196mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: >200mg/L (96h,	-	EC50: =65mg/L (48h, <i>Daphnia magna</i>)

Ferrous sulfate 7720-78-7	-	LC50: =925mg/L (96h, Poecilia reticulata)	-	EC50: =152mg/L (48h, Daphnia magna)
Tetrasodium EDTA 64-02-8	-	LC50: =41mg/L (96h, Lepomis macrochirus) LC50: =59.8mg/L (96h, Pimephales promelas)	-	-
Proprietary acid	-	-	-	EC50: =870mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Ethanolamine 141-43-5	-2.3
Proprietary acid	2.25

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT

UN number or ID number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Reportable quantity (lbs)	Zinc sulfate: RQ (lb)= 1000.00, Ferrous sulfate: RQ (lb)= 1000.00
Special Provisions	8, 146, 173, 335, 441, IB3, T4, TP1, TP29
Marine pollutant	Zinc sulfate
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.(Zinc sulfate), 9, III
Emergency Response Guide Number	171
Notes	Only regulated for DOT when RQ limit is exceeded.

IATA

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Technical Name	Zinc sulfate, Manganese sulfate
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc sulfate, Manganese

Special Provisions	sulfate), 9, III
ERG Code	A97, A158, A197, A215
Notes	9L May be shipped as not regulated in quantities not more than 5 L / 5 kg in accordance with IATA SP A197.

IMDG

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
EmS-No.	F-A, S-F
Special Provisions	274, 335, 375, 969
Marine pollutant	P
Marine pollutant	Zinc sulfate, Manganese sulfate
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc sulfate, Manganese sulfate), 9, III, Marine pollutant
Notes	May be shipped as not regulated in quantities not more than 5 L / 5 kg in accordance with IMDG Special Provision 375.

15. Regulatory information

Contact supplier for inventory compliance status

16. Other information

NFPA	Health hazards 3	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards 2 *	Flammability 0	Physical hazards 0	Personal protection X
<i>Chronic Hazard Star Legend</i>				

* = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

U.S. Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications

International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program

International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set

United Nations World Health Organization (WHO)

Issuing Date 31-Jan-2024

Revision date 29-Apr-2025

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet